

evvoli 32EV200DS Smart TV

Basic Information	
Product Type	LCD Linux/Netflix Smart TV
Chassis	3NT725B2S2C
CPU	CA9 *2, 896MHz
GPU	GPU Mali-400*2
OS	Linux
Memory	768M DDR +4G EMMC
OSD Language	English,Arabic, French, Persian, Portuguese, Italian, Spanish, Hebrew, Russian, Turkish
TV System	ATV:PAL DK/BG/I ,SECAM L
	DVB T/T2/S/S2
AV System	PAL、 NTSC、 SECAM
UI Style	Floating Down
Channels	0000-9999
Power Supply	AC 100V-240V 50/60Hz
Power Consumption (TV On)	55W
Power Consumption (Standby)	≤0.5W
Auto Power Off	Yes
Internet Link	Ethernet Network
	Built in wireless(802.11 b/g/n 2x2)
Certification	CB/ERP/Dolby/HDMI
Basic Function	
PVR&Time Shift	Yes(at DTV),only for FTA
Soundbar ready (CEC+ARC)	Yes, w/o certification
Parental Control	Yes
Sports mode	on/off
instant power on	Yes
Smart source(input setting)	Yes
Sleep timer	Yes
System Update from Internet or USB	USB, internet
Hotel Mode	yes
Teletext	Yes
Subtitle	Yes
Audio language/ Audio description	Yes
EPG	Yes
Initial setup	Yes
Micro Innovation	
E-Sticker	Yes, E-POP
Soundbar Ready	Yes
Smart Source	Yes

Enjoy Music (Audio only)	Yes
Multi-Language	Yes
Sport mode	Yes
Smart Key	Yes
Picture	
Dynamic Contrast	Yes
Backlight Adjustable	Yes (0~100)
Color Temperature	Cool,Normal,Warm,custom
Picture Mode	5 picture effects preset (Standard,Dynamic,Natural,Movie,Stadium)
Picture Size	6 modes (16:9 format, 4:3 format,Cinerama,16:9 Zoom, 16:9 zoom up,14:9 zoom)
Over scan	Yes
Game mode	Yes
Film mode	Yes
Picture reset	Yes
Application List	
YouTube	Pre-install, Global Online Movies
Netflix v4.3	Pre-install, Global Online Movies
App store	ZEASN Smart portal
T-Browser	Build in Browser
Media Format	
Music	MP3/AC3/AAC/WMA
Picture	JPG/JPEG/ Motion JPEG/BMP
Video	MPEG2/ MPEG4_HD/ MPEG4/ H.264/ H.265/ VP9/ VC1/ WMV/ MKV/vp8
File	---
Signal Format Capability	
Component Video Format	---
DVI Video Format	Up to XGA for HDMI-PC
HDMI Video Format	up to 1080P
Panel Specification	
Backlight Unit	LED
Panel supplier	CSOT(ST3151A05-8)
Aspect Ratio	16:9
Panel Size (inch)	32"
Display Resolution	1366*768
Brightness (cd/m2)(typ.)	220
Contrast Ratio	3000:1

Response Time (G to G)	6.5ms
Viewing Angle (H/V)	178°/178°
Life Time(Typ.)	> 30,000hrs
Color	16.7 M(8bit)
Refresh Rate	60Hz
Terminals	
HDMI	2
USB	2
AV in	1 mini
HP	1
SPDIF	1,optical
RJ45	1
Tuner	ATV / DVB-T/T2/S/S2
CI	0
Sound	
Speakers	Integrated speakers (Bottom side)
Audio Power Output (THD=7%)	2x8W speaker box
Sound mode	6 modes (Standard/Movie/Music/voice/Personal/Stadium)
Sound Control	Balance
Frequency range	Equalizer
Auto Volume	Yes
DD+ (Dolby Digital Plus)	Yes
Digital Audio Output	Yes, SPDIF
Essential Accessories (Default)	
Operation Manual	English(Default)
Remote Control and batteries	RC311S (with two batteries)
Base Stand	Integrated Packaging
AC power cord	Assenbled on TV
Adapt Cable Wire For AV Or YPBPR	---
Mechanical Key Specification	
Carton Dimensions LxWxH (mm)	800*128*520mm
Container Loading---20 feet (pcs)	520 without pallet
Container Loading---40 feet (pcs)	1080 without pallet
Container Loading--40 feet High (pcs)	1350 without pallet
Net Weight With Stand (Kg) (CB)	4.23kg
Net Weight Without Stand (Kg) (CB)	4.15kg
Gross Weight With Packaging (Kg)	5.45kg
VESA Mounting Dimensions LxH (mm)	100*100mm