

## evvoli TV

### Basic Information

|                             |   |
|-----------------------------|---|
| Product Type                | LED UD Smart ANDROID DTV  |
| Chassis                     | 1MS488ZZBAP.01  |
| CPU                         | Dual Core A53 1.5GHz  |
| GPU                         | Quad Core MALI450MP2  |
| OS                          | Android 5.1.1   |
| Memory/Flash                | 1.5GB DDR3 / 8GB Flash  |
| UI Style                    | Floating Down   |
| Launcher HomePages Show     | Home, App   |
| OSD Language                | English,Vietnamese,Thai,Arabic,Spanish,<br>Persian,Russian,French,Hebrew,Uzbekistan,Ukrai<br>nian,Azerbaijani,Mongolian |
| TV System                   | PAL B/G、D/K、I ; NTSC-M ;<br>DVB-T/T2/S/S2   |
| AV System                   | PAL、NTSC  |
| Channels                    | 0000-9999   |
| Power Supply                | AC 110V-240V 50/60Hz  |
| Power Consumption (TV On)   | 350W  |
| Power Consumption (Standby) | ≤0.5W   |
| Certification               | CB, HDMI  |
| ECO Energy efficiency       | Yes   |
| Internet Link               | wireless WiFi Default<br>Ethernet Network   |
| LED Indicator Status        | Red in Standby  |

### Basic Function

|                  |  |
|------------------|--|
| Initial Setup    | Yes, for user setting in TV first starting |
| HDMI Auto Switch | Auto、Close、Manual                          |
| Channels Edit    | For Channel renamed                        |
| Input Settings   | For Input source device choice             |
| Sleep Timer      | Yes  |
| T-Link (CEC)     | Yes  |
| HDMI ARC         | Yes  |
| MHL              | Yes  |
| Teletext         | Yes  |
| S/W update       | Internet s/w update<br>USB s/w update      |
| Power Label      | A+   |
| Shop mode        | E-sticker                                  |
| PVR              | Yes for FTA                                |
| Timeshift        | Yes for FTA                                |

|                                 |   |
|---------------------------------|---|
| <b>Picture</b>                  |   |
| Picture Mode                    | Standard\Dynamic\Natural\Movie\Personal   |
| Screen Mode                     | 16:9\4:3\14:9\Cinrame\Zoom etc.   |
| Noise Reduction                 | Low\Middle\High\Auto\Off  |
| Backlight Adjustable            | Yes (0~100)   |
| Color Temperature               | Normal/Warm/Cool/Customer   |
| Gamma Adjustable                | -4 to 4   |
| Dynamic Contrast                | Yes   |
| Overscan                        | Yes   |
| Picture Freeze                  | Yes   |
| Game Mode                       | Yes   |
| Film Mode                       | Yes   |
| Picture Reset                   | Yes   |
| <b>Application List</b>         |   |
| YouTube TCL version             | Pre-install, Global Online Movies   |
| Browser                         | Webpage Browser   |
| App Store 3.0                   | Special App Store available for download  |
| YuPPTV                          | Pre-install, India, MEA Online Movies   |
| ZEASN app store                 | App Store available for download  |
| Mediacenter                     | Media/Music play for USB Device   |
| E-Sticker                       | OEM version function demo in Shop mode  |
| T-CAST                          | Connect Mobile phone to TV sets and control                                     |
|                                 | the TV like Remote using Phone;   |
|                                 | Push media file in Phone to TV Display and<br>Enjoy big screen picture quality. |
| <b>USB Device Media Format</b>  |   |
| Music                           | MP3/AC3/HE-AAC/LPCM/WMA   |
| Picture                         | JPEG/BMP/PNG/GIF  |
| Mutilmedia Video                | H.264/H.265/MPEG2/MPEG4<br>/Motion JPEG/VC1                                     |
| <b>Signal Format Capability</b> |   |
| DVI Video Format                | Up to XGA for HDMI-PC   |
| HDMI Video Format               | up to 1080P   |
| PC Compatibility                | -----   |
| <b>Panel Specification</b>      |   |
| Backlight Unit                  | LED   |
| Panel supplier                  | LGD   |
| Aspect Ratio                    | 16:9  |
| Panel Active Size (inch)        | 75"   |
| Display Resolution              | 3840*2160   |
| Brightness (cd/m2)              | 350(typical)  |

|  |   |
|--|---|
| Contrast Ratio                         | 1000:1                                      |
| Response Time (G to G)                 | 8ms   |
| Viewing Angle (H/V)                    | 178°/178°                                   |
| Life Time(Typ.)                        | 30,000hrs                                   |
| Color                                  | 16.7 Million(8bit)                          |
| Refresh Rate                           | 60Hz  |
| WCG                                    | 85%   |
| <b>Terminals</b>                       |   |
| HDMI 2.0                               | 3 HDMI,HDMI2 (CEC,ARC)                      |
| USB 2.0                                | 1   |
| USB 3.0                                | 1   |
| AV in                                  | 1   |
| RJ45                                   | 1   |
| AV out                                 | 1 mini                                      |
| Headphone                              | 1   |
| Tuner                                  | ATV / DVB-T/T2/S/S2                         |
| SPDIF                                  | 1   |
|  |   |
| <b>Sound</b>                           |   |
| Speakers                               | Integrated speakers (Bottom side)           |
| Audio Power Output (THD=7%)            | 2×12W speaker box                           |
| Auto Volume Control                    | On / Off                                    |
| Sound Preset                           | Standard\Music\Movie\Clear Voice\Personal   |
| Sound Control                          | Five band equalizer adjust in Personal mode |
| TV Placement                           | Desk top / Wall mount                       |
| Audio Delay                            | Yes   |
| External sub-woofer                    | Option                                      |
| <b>Essential Accessories (Default)</b> |   |
| Operation Manual                       | English(Default)                            |
| Remote Control and batteries           | RC311 (with two batteries)                  |
| Base Stand                             | Integrated Packaging                        |
| AC power cord                          | 1 pcs                                       |
| <b>Mechanical Key Specification</b>    |   |
| Carton Dimensions LxWxH (mm)           | 1900*475*1155mm                             |
| Container Loading---20 feet (pcs)      | N/A   |
| Container Loading---40 feet (pcs)      | 24 without pallet (Old package)             |
| Container Loading--40 feet High (pcs)  | 48 without pallet (Old package)             |
| Net Weight With Stand (Kg)             | 30.5kg                                      |
| Net Weight Without Stand (Kg)          | 29.8kg                                      |
| Gross Weight With Packaging (Kg)       | 56.3kg                                      |
| VESA Mounting Dimensions LxH (mm)      | 600x200mm                                   |